



40 Huntingwood Drive Huntingwood NSW 2148

Phone: (02) 8825 1999 Website: [www.aeroflowperformance.com](http://www.aeroflowperformance.com)

# INSTRUCTION MANUAL

## AEROFLOW PERFORMANCE

### BARB TO AN FLARE ADAPTERS



## WARNING!

BEFORE PROCEEDING WITH INSTRUCTIONS PLEASE READ CAREFULLY AND UNDERSTAND BEFORE ATTEMPTING TO USE THIS PRODUCT.

### INTRODUCTION


Congratulations on your purchase of the Aeroflow Performance Barb to AN Flare Adapters. Aeroflow Performance products cannot and will not be responsible for any damage, or other conditions resulting from misapplication of the parts described herein. However, it is our intention to provide the best possible products for our customer, products that perform properly and satisfy your expectations. Should you have any questions? Please call technical support at +61 2 8825 1900 and have the product part number on hand when calling.

No welding... no clamps... no hassle with this unique O-ring design. This revolutionary fitting allows you to convert any barb, plastic or metal, over to the ever-popular range of AN style fittings in our inventory. Sizes range from 5/16" to 3/4" Barb. Which accommodates a variety of electric oil and fuel pumps.

**Tip: Lubricating the O-ring before assembly will make it easier to slide over the barb without tearing.**

**Instructions:**

1. Undo the fitting and lay it out. Then slide the base of the fitting over the barb




2. Lube up the O-ring thoroughly with an appropriate lubricant. Carefully not to tear, slide the O-ring over the barb's edges. The O-ring must seat against the lowest barb edge.



3. Whilst holding the bottom half of the fitting to ensure the O-ring does not move from its seated position. Slide the top half over the barb and tighten.

**Note: Do not over tighten! Only a snug fit is required till the fitting does not slide up or down.**



*For more information or technical enquires*

*Contact: AeroFlow Performance on*

*Phone: (02) 8825 1979 Website: [www.aeroflowperformance.com](http://www.aeroflowperformance.com)*